| | • | |
|-------------------------|---|----------------|
| This question paper co | ontains 4 printed pages] | |
| | Roll No. | |
| S. No. of Question Pape | er : 48 | |
| Unique Paper Code | : 235466 E | |
| Name of the Paper | : MAPT-404 : Differential Equations | |
| Name of the Course | : B.Sc. (H) Comp. Sc., B.Sc. (Appl. Phy. Sc.) Analytical | |
| | Chemistry/Industrial Chemistry/B.Sc. Mathematical | |
| | Science/B.Sc. Physical Science | |
| Semester | : IV | |
| Duration: 3 Hours | Maximum Marl | ks : 75 |
| (Write your | Roll No. on the top immediately on receipt of this question paper.) | |
| | Attempt two parts from each question. | |
| | All questions are compulsory. | |
| | Marks are indicated against each question. | |
| | Unit I | |
| 1. (a) Solve: | | 61/2 |
| | $(y \sec^2 x + \sec x \tan x) dx + (\tan x + 2y) dy = 0.$ | |
| (b) Solve: | · | 61/2 |
| | $(x^2 + y^2 + 2x) dx + 2ydy = 0.$ | |

 $xp^2 - 2yp + ax = 0.$

Solve:

(c)

61/2

61/2

2. (a) Solve:

$$\frac{d^2y}{dx^2} + 3\frac{dy}{dx} + 2y = e^{2x} \sin x.$$

(b) Solve:
$$6\frac{1}{2}$$

$$x^{2}\frac{d^{2}y}{dx^{2}} - 5x\frac{dy}{dx} + 8y = 2x^{3}, x > 0.$$

- (c) Show that the Wronskian of two solutions of the second order homogeneous linear differential equation $a_0(x) \frac{d^2y}{dx^2} + a_1(x) \frac{dy}{dx} + a_2(x) y = 0$, is either identically zero or never zero on $a \le x \le b$, where a_0 , a_1 and a_2 are continuous real functions on real interval $a \le x \le b$, and $a_0(x) \ne 0$ for any x on $a \le x \le b$.
- 3. (a) Using method of variation of parameters, solve the differential equation: 6½

$$\frac{d^2y}{dx^2} + 4y = \sec^2 2x.$$

(b) Given that y = x is a solution of

$$(x^2 - 1)\frac{d^2y}{dx^2} - 2x\frac{dy}{dx} + 2y = 0,$$

find a linearly independent solution by reducing the order. Write the general solution.

- (c) A large tank initially contains 100 gal of pure water. Starting at t = 0, a brine containing 4 lb of dissolved salt per gallon flows into the tank at rate of 5 gal/min. The mixture is kept uniform by stirring, and the stirred mixture simultaneously flows out at the slower rate of 3 gal/min.
 - (i) How much salt is in the tank at the end of 20 min?
 - (ii) How much salt is present after a long time?

48

4. (a) Solve:

$$\frac{dx}{dt} + 4x + 3y = t,$$

$$\frac{dy}{dt} + 2x + 5y = e^t.$$

(b) Solve:

$$\frac{dx}{x^2 - y^2 - z^2} = \frac{dy}{2xy} = \frac{dz}{2xz}.$$

(c) Solve:

$$zy dx = zx dy + y^2 dz.$$

Unit II

5. (a) Eliminate the arbitrary function f from the equation:

$$z=f\left(\frac{xy}{z}\right)$$

to form the corresponding partial differential equation.

51/2

(b) Find the general solution of the differential equation :

$$(y + x) px = (x + y)qy - (x - y)(2x + 2y + z).$$

(c) Find the complete integral of the equation:

51/2

$$xp + 3yq = 2(z - x^2q^2).$$

48

6. (a) Find the complete integral of the equation:

6

$$(p^2+q^2)y=z.$$

(b) Show that the equations:

6

$$xp = yq, \quad z(xp + yq) = 2xy$$

are compatible and find their solution.

(c) Reduce the equation:

6

$$\frac{\partial^2 z}{\partial x^2} - x^2 \frac{\partial^2 z}{\partial y^2} = 0$$

to canonical form.